



LENOVO24.pl
Netland Computers
62-800 Kalisz
ul. Wrocławska 35
tel: 62 754 22 52
doradca@lenovo24.pl

Komputer LENOVO ThinkStation P3 Tower i9-14900K 64GB 1TB SSD RTX A4000 W11P

Cena brutto: 14 149,00 zł

Cena netto: 11 503,25 zł

Koszty wysyłki: GRATIS przy płatności przelewem / +15 zł pobranie.

PERFORMANCE

Processor Intel® Core™ i9-14900K, 24C (8P + 16E) / 32T, Max Turbo up to 6.0GHz, P-core 3.2 / 5.6GHz, E-core 2.4 / 4.4GHz, 36MB

Processor 1x FCLGA1700
Sockets

Integrated Intel® UHD Graphics 770
Graphics

Discrete 1x NVIDIA® RTX A4000 16GB
Graphics

Chipset Intel® W680 Chipset

Memory 2x 32GB UDIMM DDR5-4400 Non-ECC

Memory 4 DDR5 DIMM slots, 2 channels capable
Slots

Max Memory Up to 128GB (4x 32GB DDR5 UDIMM)

PCIe NVMe Integrated NVMe® Controller
Controller

PCIe NVMe 1x 1TB SSD M.2 2280 PCIe® 4.0x4 Performance NVMe® Opal
Drive

SATA Controller	Onboard Intel® RSTe SATA RAID
SATA/SAS Drive	None
Storage Support	Up to five drives (4x HDD + 1x M.2 SSD) or six drives (3x HDD + 3x M.2 SSD) • 3.5" HDD up to 6TB each • 2.5" HDD up to 1TB each • M.2 SSD up to 4TB or 2TB each (see Storage Type)
Optical	None
Audio Chip	High Definition (HD) Audio, Realtek® ALC897Q-CG codec
Power Supply	750W Platinum Fixed
DESIGN	
Keyboard	USB Traditional Keyboard, Black, English (EU)
Mouse	USB Calliope Mouse, Black
Expansion Slots	Supports four PCIe® slots with two PCIe 4.0 x16 and two PCIe 3.0 x1. • Slot 1: PCIe 4.0 x16, full height, full length, 75W, double-width • Slot 2: PCIe 3.0 x1, full height, half length, 25W • Slot 3: PCIe 4.0 x16 (x4 lanes), full height, half length, 25W • Slot 4: PCIe 3.0 x1, full height, half length, 25W
M.2 Slots	- Up to 3x M.2 SSD: • 2 via onboard slot, can't be available when 4th HDD is selected • 1 via Single M.2 to PCIe® adapter - One M.2 slot (for WLAN)
Bays	Up to four disk bays: • Bay 1 supports one 3.5" / 2.5" drive, standard • Bay 2 supports one 3.5" / 2.5" drive, optional • Bay 3 supports one 3.5" / 2.5" drive, optional • Bay 4 supports one 3.5" / 2.5" drive, optional • Front Access HDD Bay supports one 3.5" / 2.5" drive, optional, occupies Bay 3 location
Dimensions (WxDxH)	180 x 370 x 415 mm (7.09 x 14.57 x 16.34 inches)
Weight	13.61 kg (30.0 lbs, maximum configuration)

CONNECTIVITY

Onboard Ethernet	Intel® I219-LM, 1x GbE RJ-45		
Optional Ethernet	None		
WLAN + Bluetooth	None		
Card Reader	SD Card Reader		
Front Ports	• 1x USB-C® (USB 10Gbps / USB 3.2 Gen 2), data transfer only • 2x USB-A (USB 5Gbps / USB 3.2 Gen 1) • 2x USB-A (USB 10Gbps / USB 3.2 Gen 2) • 1x headphone / microphone combo jack (3.5mm) • 1x microphone (3.5mm)		
Rear Ports	• 4x USB-A (USB 5Gbps / USB 3.2 Gen 1), one supports Smart Power On • 1x HDMI® 2.1 TMDS • 2x DisplayPort™ 1.4 • 1x Ethernet (RJ-45) • 1x line-out (3.5mm)		
Optional Rear Ports (configured)	None		
SECURITY & PRIVACY			
Security Chip	Discrete TPM 2.0, TCG certified, FIPS 140-2 certified		
Physical Locks	• Kensington® Security Slot™, 3 x 7 mm • Padlock Loop		
Cover Lock	None		
Cable Lock	No Cable		
Chassis Intrusion Switch	None		
MANAGEABILITY			

SERVICE

Base Warranty3-year, Onsite

Included Upgrade1Y Premier Support from 3Y Onsite Windchill bundles (CPN)

- Green Certifications

 -
 -
 -
 -
 -
- ENERGY STAR® 8.0
EPEAT™ Gold Registered
ErP Lot 3
RoHS compliant
TCO Certified 9.0

SOFTWARE

Operating SystemWindows® 11 Pro, Polish / English

Bundled SoftwareNone

